It is therefore requested that this work may be kindly undertaken.

Reply of Government.—This cannot be done being found to be unremunerative.

SUBJECT No. 458.

Sub-Registry office in the N.gar Taluk.

Mr. C. Nagappa, Nagar Taluk

Summary of discussion.—The Special Sub-Registry office is very convenient to the people. The income of the office is increasing year by year. It is therefore requested that it may be located here permanently.

Reply of Government.—Noted.

CHITALDRUG DISTRICT.

(Nos. 459—481.)

SUBJECT No. 459.

Construction of a road to Chikjajur from Hireguntanur.

Mr. Totada Siddappa, Chitaldrug Taluk.

Summary of discussion.—There is much traffic on the cart-track from Hireguntanur to Chikjajur Railway Station. This may be made a pakka road. The existing track is very difficult at the Sadarhalli Kanave.

Reply of Government.—The question will be referred to the District Board.

SUBJECT No. 460.

Construction of a road from Chitaldrug to Guntanur.

Mr. Totada Siddappa, Chitaldrug Taluk.

Summary of discussion.—A road may be opened from Chitaldrug to Guntanur for the convenience of traffic as the present cart-track is very much cut up by hallas, etc., rendering it difficult for the people going to and from Guntanur where a weekly market is held.

Reply of Government.—This will be referred to the District Board.

SUBJECT No. 461.

Construction of Chikkapur tank.

Mr. Totada Siddappa, Chitaldrug Taluk

Summary of discussion.—The breached tank across Janagihalla near Chikkapur village, Chitaldrug Taluk, may be restored. About 100 acres will be irrigated by the tank.

Reply of Government.—This cannot be done being reported to be costly and unremunerative.

SUBJECT No. 462.

Improvement of Hosakere tank near Chitaldrug.

Messrs. W. Tirumal Rao, Chitaldrug Municipality, and Bale Chikkaveerappa, Chitaldrug Taluk.

Summary of discussion.—A big tank called Hosakere also called Barigere has been constructed near Chitaldrug at a cost of about Rs. 60,000. Much water leaks from under the bund. Necessary repairs may be undertaken to make it water-tight.

Reply of Government.—The matter will be referred to Public Works Department and its disposal expedited.

SUBJECT No. 463.

Gokatte for Chitaldrug Town.

Messrs. Bale Chikkaveerappa, Chitaldrug Taluk and W. Tiruamala Rao, Chitaldrug Municipality.

Summary of discussion.—On sanitary grounds, cattle are prohibited from going to Timmannanaikankere tank in Chitaldrug for water, but due provision for water for cattle has not been made. A *Gokatte* may be constructed soon. The question was often urged for the consideration of Government and nothing has been done in the matter.

Reply of Government.—This is under consideration and its disposal will be expedited.